EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	223	370/259.ccls.	USPAT	OR	OFF	2009/03/05 12:29
S1	338	(SIP (session adj1 initiation)) with (enhanced different unlike uncommon) with (feature application attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:26
S2	38	(SIP (session adj1 initiation)) near4 (enhanced different unlike uncommon) near2 (feature application attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:26
S3	49	(SIP (session adj1 initiation)) and ((enhanced different unlike uncommon) near2 (feature application attribute) near2 (set group call))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 08:28
S4	58	((enhanc$3 advanc$3) with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 13:34
S5	2	ep-1179941-$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 13:46

S6	4528	(server near application) with (client near application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 14:53
S7	6041	(server near application) with (client near application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:53
S8	119	S7 same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 14:53
S9	69	(((incompatib$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 15:29
S10	22	(((incompatib$5 different unlike "not supported" "not compatible") near3 feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 15:33
S11	4	(session adj (initiation and termination and modification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:28

S12	1	(session adj modification) with ((call$3 telephon$3) adj feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S13	1	(session adj modification) same ((call$3 telephon$3) adj feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S14	2	(session adj modification) with feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:31
S15	158	(compatib$5 incompatib$5 support$3 unsupport$3 alike unalike unlike different heterogeous conflict$3 oppos$3) with ((call$3 telephon$3 communication) adj (feature function)) with (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:38
S16	141	(compatib$5 incompatib$5 support$3 unsupport$3 alike unalike unlike different heterogeous conflict$3) with ((call$3 telephon$3 communication) adj (feature function)) with (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:42
S17	4	low$3 adj common adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:55

S18	7626	first with different with second with feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:43
S19	0	S18 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:44
S20	35	S18 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:44
S21	0	370/259,260,261,271,277,310,349,389,395.52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:50
S22	13024	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:50
S23	16518	709/203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:52

S24	10197	455/412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:55
S25	39100	S22 or S23 or S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S26	2470	S25 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S27	8	S25 and (((incompatib$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 11:56
S28	26	S25 and (((incompatib$5 different unlike "not supported" "not compatible") with feature) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 11:56
S29	13024	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04

S30	16518	709/ 203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S31	10197	455/ 412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S32	39100	S29 or S30 or S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 12:04
S33	1	S32 and (((incompatib$5 different unlike "not supported" "not compatible") with feature with endpoint) same (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:04
S34	3	S32 and (((incompatib$5 different unlike "not supported" "not compatible") with feature with endpoint) and (SIP (session near initiation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:05
S35	122	(sip with ipv4) same (sip with ipv6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:07

S36	20	(sip with ipv4) same (sip with ipv6) same (convert$3 conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:08
S37	8	((sip with ipv4) same (sip with ipv6) same (convert$3 conversion)) and feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:09
S38	39	S35 and (call$3 near3 (transfer$3 wait$3 hold conferenc$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:12
S39	2027	telephon$2 adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S40	66	S39 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S41	855914	S40 compatib$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15

S42	66	S40 samecompatib$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S43	0	S40 same compatib$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S44	0	S40 same compatibl$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:15
S45	11	S40 same different	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:16
S46	327	(enhanc$3 advanc$3) same basic same ((call$3 telephon$2) near3 feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:41
S47	9	S46 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:42

S48	3	"20030076815"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:47
S49	1	(implement$3 allow$3) with feature with (unavailab$5 incompatibl $5) with end$point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:55
S50	282	(implement$3 allow$3) with feature with (unavailab$5 incompatibl $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:56
S51	8	S50 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:56
S52	563	(implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (unavailab$5 incompatibl$5 unsupport$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:59
S53	22	S52 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 12:59

S54	7136	(implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:02
S55	118	S54 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:02
S56	356	(implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal) with (enhanc$3 advanc$3 upgrad$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:03
S57	6	S56 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:03
S58	7	(implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal) with (enhanc$3 advanc$3 upgrad$3) with (unavailab$5 incompatibl$5 unsupport$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:06
S59	9	(implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal) with (enhanc$3 advanc$3 upgrad$3) same (unavailab$5 incompatibl$5 unsupport$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:07

S60	9	((implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal) with (enhanc$3 advanc$3 upgrad$3)) same (unavailab$5 incompatibl$5 unsupport $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:07
S61	12	((implement$3 allow$3 enabl$3 approv$3 authoriz$3) with feature with (end$point subscriber terminal)) same ((enhanc$3 advanc$3 upgrad$3) with (unavailab$5 incompatibl$5 unsupport $3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:09
S62	621	(implement$3 allow$3 enabl$3 approv$3 authoriz$3 utilis$3 utiliz $3) with feature with (unavailab$5 incompatibl$5 unsupport$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:11
S63	3	S62 same sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:12
S64	23	S62 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:12
S65	44	(implement$3 allow$3 enabl$3 approv$3 authoriz$3 utilis$3 utiliz $3) with feature with (unavailab$5 incompatibl$5 unsupport$3) with (end$point terminal subscrib$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:15

S66	39	(session adj modif$7) with sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:19
S67	2	S66 same feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:19
S68	0	unsupport$3 with S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:21
S69	17	support$3 with S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:21
S70	473	(session adj modif$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22
S71	110	S70 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22

S72	24	S70 with support$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 13:22
S73	63	((call$3 telephon$3) same sip).ti.	US-PGPUB; USPAT	OR	ON	2009/03/04 13:25
S74	237	end$point with (unavailab$5 incompatibl$5 unsupport$3 incapabl $5)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:27
S75	1	S74 same ((call$3 telephon$3) near2 feature)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:28
S76	0	("first set of communication features").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:54
S77	0	("not supported by the first user agent").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:55
S78	6236317	(not supported by the first user agent).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:55
S79	0	("a first sip user agent located at a first end point").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:56

S80	0	("a first sip user agent located at a first end point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 10:57
S81	0	("a first sip user agent located at a first end point")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 10:57
S82	1	(sip same feature same first same second same enhanc$3 same basic).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 10:59
S83	1	(basic adj call$3 adj enhanc$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S84	2	(basic adj call$3 adj enhanc$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S85	44	(utiliz$3 same enhanc$3 same feature).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 11:00
S86	0	("first set of communication features").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:08

S87	0	("not supported by the first user agent").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:08
S88	0	("a first sip user agent located at a first end point").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:09
S89	1	("basic sip communication feature set").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:10
S90	1	("enhanced sip communication feature set").clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:10
S91	822	(one with communication with feature (unavailable unsupported) with end$point).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:12
S92	809	(one with communication with feature (unavailable unsupported) with end$point with sip with (client near2 application) with (server near2 application) with (user adj agent)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:13
S93	0	(one with communication with feature with (unavailable unsupported) with end$point with sip with (client near2 application) with (server near2 application) with (user adj agent)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/05 11:14
S94	13044	370/259,260,261,271,277,310,349,389,395.52.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15
S95	16542	709/203,209,227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15
S96	10216	455/412.2,414.1,415,416,417,425,436,461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/05 11:15

| S97 | 39163 | S94 or S95 or S96 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/05 11:15 |
| S98 | 0 | ((one with communication with feature with (unavailable unsupported) with end$point with sip with (client near2 application) with (server near2 application) with (user adj agent)). clm.) and S97 | US-PGPUB; USPAT | OR | OFF | 2009/03/05 11:15 |

3/5/2009 1:46:14 PM

C:\Documents and Settings\belliott\My Documents\EAST\Workspaces\10573675INTERFERENCE.wsp